

Table EMRB-NEW10: Annual Dry and Wet Deposition at Receptor Location

Receptor	Easting [km]	Northing [km]	Annual Deposition Rate [g/m ²]	
			Dry	Wet
Receptor 1	634.73	5435.56	0.156	0.001
Receptor 2	621.33	5407.83	0.400	0.003
Receptor 3	599.10	5407.95	0.138	0.002
Receptor 4	601.02	5401.37	0.103	0.001
Receptor 5	602.25	5433.10	0.224	0.003
Receptor 6	606.97	5415.29	0.634	0.019
Receptor 7	606.97	5413.53	0.554	0.015
Receptor 8	607.98	5417.53	1.123	0.038
Receptor 9	612.40	5439.06	0.255	0.001
Receptor 12	610.87	5413.20	0.772	0.022
Receptor 13	621.42	5418.27	1.303	0.027
Receptor 14	619.21	5411.77	0.734	0.007
Receptor 15	615.72	5433.44	0.543	0.005
Receptor 16	606.51	5435.33	0.283	0.001
Receptor 18	601.53	5416.65	0.310	0.006
Receptor 20	623.28	5422.83	0.939	0.012
Receptor 21	620.56	5439.33	0.251	0.001
Receptor 22	606.02	5436.03	0.257	0.001
Receptor 24	606.93	5428.70	0.588	0.009
Receptor 25	622.02	5428.87	0.707	0.007
Receptor 26	618.76	5435.29	0.404	0.002
Receptor 27	621.60	5432.86	0.426	0.003
Receptor 28	626.98	5419.18	0.542	0.007
Receptor 29	617.28	5426.25	1.955	0.030
Receptor 30	602.63	5412.11	0.263	0.006
Receptor 31	613.06	5410.97	0.592	0.010
Receptor 32	617.52	5415.90	1.667	0.022
Receptor 33	606.88	5432.88	0.381	0.003
Receptor 34	629.37	5420.15	0.450	0.004
Receptor 35	616.32	5434.79	0.443	0.004
Receptor 38	618.11	5416.93	1.951	0.028
Receptor 39	599.39	5413.58	0.200	0.003
Receptor 40	622.09	5412.73	0.679	0.005
Receptor 41	616.41	5426.92	2.164	0.028
Receptor 42	616.32	5426.80	2.005	0.029
Receptor 43	616.46	5426.91	4.469	0.030
Receptor 44	616.48	5426.92	5.076	0.029
Receptor 45	616.50	5426.92	4.116	0.028
Receptor 46	616.44	5427.01	3.537	0.028

Receptor 47	616.46	5427.01	4.885	0.028
Receptor 48	616.48	5427.02	3.993	0.027
Receptor 49	616.44	5427.11	3.161	0.027
Receptor 50	616.46	5427.11	4.635	0.027
Receptor 51	616.48	5427.11	4.004	0.027